## Berrybrook Primary School

Calculation Policy (Virtual)



The purpose of our Calculation Policy is to ensure consistency in the teaching of Mathematics throughout the school and to ensure that pupils develop efficient written and mental methods of calculation, underpinned by conceptual understanding.

## Calculation Policy

This policy provides an overview of the strategies used in our school to teach Mathematics, specifically the four operations, as defined within the National Curriculum in England: Mathematics Programme of Study.

The progression of the four operations  $(+, -, \times \text{ and } \div)$  are shown across each of the primary year groups I-6. This is a guide since children progress at different rates. Teachers should model strategies appropriate to the ability of the children they teach, regardless of their year group, whilst striving to achieve age related expectations at the end of the academic year.


At Berrybrook Primary School, we believe that children should be introduced to the processes of calculation through the concrete, pictorial and abstract (CPA) approach. Our children are introduced to calculation through practical activities, using concrete resources. As children develop their understanding of the underlying concepts and mathematical models, they develop ways of recording to support their thinking. In the first instance, this recording takes the form of pictorial representations. Over time, children learn how to use models and images to support their mental and informal written methods of calculation.

As children become more proficient in their use of mental methods, their informal written methods also become more efficient. Some recording takes the form of jottings, which are used to support children's thinking. More **abstract**, formal written methods are taught only when the child is able to use a wide range of mental calculation strategies and these are always underpinned by **concrete** and **pictorial** experiences.

Our ultimate aim is for children to be able to select an efficient method to solve problems. Therefore children will be encouraged to look at a calculation or problem and to determine the most appropriate method to choose — pictures, mental calculation with or without jottings or a formal, written method.

The end of year expectations in the National Curriculum shows the progression in children's use of calculation within the following strands 'Addition and Subtraction' and 'Multiplication and Division'. These end of year expectations will be achieved through the use of the following written methods of calculation.

Year	Addition +	Subtraction -	Multiplication x	Division ÷
l	<ul> <li>Add one-digit and two-digit numbers to 20 including zero.</li> <li>Read, write and interpret mathematical statements involving addition (+) and equal (=) signs.</li> </ul>	<ul> <li>Subtract one-digit and two-digit numbers to 20 including zero.</li> <li>Read, write and interpret mathematical statements involving subtraction (-) and equal (=) signs.</li> </ul>	<ul> <li>Begin to understand multiplication through doubling numbers and quantities.</li> <li>Use arrays and sets of 'equal groups' to look at other multiples, e.g. x 5.</li> </ul>	<ul> <li>Begin to understand division through grouping and sharing small quantities.</li> </ul>
	Addition of single digits:  5 + 3 = 8  (Cubes and Numicon)  Addition of two digit numbers to 20 and a one digit number:  12 + 5 = 17  (Numicon)	Subtraction of single digits $7 - 4 = 3$ (Cubes)  (Numicon)	Doubling – linking to x 2  Double 4 is 8, 4 + 4 = 8 or  4 x 2 = 8  (Cubes, Numicon and counters)  Use an array or equal groups to solve multiplication problems for multiples other than 2	Sharing equally  Share IO into 2 equal groups (Cubes and counters)  Grouping  How many 2s are in IO? What  IO grouped into twos?  (Cubes, Numicon and counters)
	(Dienes and ten frames)	Subtraction of a one-digit number from a two-digit number to 20. $13 - 4 = 9$ (Numicon)	5, 3 times or 5 x 3 = 15 (Numicon)	10 + 2 =



- 2 Add numbers, including:
  - a two-digit number and ones
  - a two-digit number and tens
  - two two-digit numbers
  - adding three one-digit numbers
  - Show that addition of two numbers can be done in any order (commutative).
- Subtract numbers, including:
  - a two-digit number and ones
  - a two-digit number and tens
  - two two-digit numbers
- Show that subtraction of two numbers cannot be done in any order.
- Calculate multiplication statements within the 2, 5 and 10 multiplication tables and write them using the multiplication (x) and equals (=) signs.
- Show that multiplication of two numbers can be done in any order (commutative).
- Calculate division statements within the 2,
   5 and IO multiplication tables and write them using the division (÷) and equals (=) signs.
- Show that division of numbers cannot be done in any order.

Addition of two two-digit numbers (no exchange):

$$34 + 23 = 57$$

(Numicon and dienes)



Addition of two two-digit numbers (exchange)

$$47 + 24 = 71$$

(Place value counters)




Subtraction two two-digit numbers (no exchange)

$$47 - 23 = 24$$

(Numicon and dienes)



(Place value counters)



Subtraction of two two-digit numbers (exchange)

$$52 - 27 = 25$$

(Place value counters)




Multiplication of two numbers within the 2, 3, 5, 10 multiplication tables.

Introduce x sign to mean 'how many times' and model recording calculations

$$5 \times 3 = 15 \text{ or } 5, 3 \text{ times} = 15$$

(Numicon)



(Arrays, ten frames and counters)



(Counters — one to many correspondence)



Division of numbers within known multiplication tables

Consolidate understanding of 'sharing' and 'grouping' as outlined within Year 1.

## Grouping

How many 2s are in 10? What is 10 grouped into twos?

(Cubes, Numicon and counters)



(Counters — one to many correspondence)



- a three-digit number and ones
- a three-digit number and tens
- a three-digit number and hundreds
- Add numbers with up to three digits, using formal written methods of columnar addition

Addition of numbers with up to three digits

$$263 + 129 = 392$$

(Dienes)



(Place value counters)



Refer to the calculation policy for progression steps.

- Subtract numbers mentally, including:
  - a three-digit number and ones
  - a three-digit number and tens
  - a three-digit number and hundreds
- Subtract a two-digit or 3-digit number from a two-digit or 3 digit number using a formal written method

Recall and use multiplication facts for the
 3, 4 and 8 multiplication tables.

 Multiply using multiplication tables that they know, including for two-digit numbers times one-digit numbers, using efficient written methods- 'partitioning method'  Recall and use division facts for the 3, 4 and 8 multiplication tables.

 Divide using known multiplication tables, including for two-digit numbers divided by one-digit numbers, using mental methods, progressing to efficient written methods

Subtraction of numbers with up to three digits

$$263 - 129 = 134$$

(Dienes)



(Place value counters)



Refer to the calculation policy for progression steps.

Recall and use multiplication facts for the 3, 4 and 8 multiplication tables.

$$8 \times 4 = 32$$

(Counters — one to many correspondence)



Multiplication of a two-digit number by a one-digit number.

$$13 \times 4 = 52$$

(Dienes)



Recall and use division facts for the 3, 4 and 8 multiplication tables.

$$56 \div 8 = 7$$

(Counters — one to many correspondence)




Division of a two-digit number by a one-digit number, using known multiplication tables.

$$60 \div 3 = 20$$

(Dienes)





◆ Add numbers with up to 4 digits using
mental strategies and the formal written
methods (columnar addition)

- Add numbers with 2 decimal places, using formal written methods (columnar addition)
- Subtract numbers with up to 4 digits using mental strategies and the formal written methods (columnar subtraction)
- Subtract numbers with 2 decimal places, using formal written methods (columnar subtraction)
- Recall multiplication facts for multiplication tables up to I2 x I2.
- Multiply two-digit and three-digit numbers
   by a one-digit number using formal
   written layout e.g. 84 x 6, 216 x 4
- Multiply three-digit numbers with I decimal place by a one-digit number using formal written layout e.g. 134.5 x 7
- Recall division facts for multiplication tables up to 12 x 12.
- Divide numbers up to 3 digits by a I digit number using the formal written method (no remainders)

Addition of numbers with up to four digits: Refer to the Year 3 place value counters

(Column method)
four digit + four digit



four digit + three digit




Subtraction of numbers with up to four digits

Refer to the Year 3 place value counters videos.

four digit — four digit



four digit — three digit



Using O as a place holder



Recall and use multiplication facts for the multiplication tables up to  $12 \times 12$ .

Refer to the Year 3 counters videos.

Multiplication of two and three digit numbers by a one-digit number  $\,$ 

$$216 \times 4 = 864$$

(Place value counters)



Refer to the calculation policy for progression steps.

Recall and use division facts for the multiplication tables up to  $12 \times 12$ .

Refer to the Year 3 counters videos.

Divide numbers with up to three-digit by a one-digit number


$$976 \div 8 = 122$$

(Numicon)



Refer to the calculation policy for progression steps.

## 




Numbers with 2 decimal places

379-34 - 203-52=

\*Use partitioning methods to support understanding of columnar addition where

appropriate.



appropriate.

5	◆ Add whole numbers with more than 4-digits (and with up to 3 decimal places), including using formal written methods (columnar addition)	Subtract whole numbers with more than 4 digits (and with up to 3 decimal places), including using formal written methods (columnar subtraction)	<ul> <li>Multiply numbers up to 4 digits by a I digit number using a formal written method e.g. 3721 x 7</li> <li>Multiply one-digit numbers with up to three decimal places by whole numbers</li> <li>Multiply numbers up to 4 digits by 2-digit number using a formal written method e.g. 3721 x 37</li> </ul>	<ul> <li>Divide numbers up to 4 digits by a one-digit number using the formal written method and interpret remainders</li> <li>Divide numbers up to 4 digits with up to 3 decimal places by a one-digit number using the formal short written method</li> </ul>
	The same as Year 4 but with larger numbers and with a greater number of	The same as Year 4 but with larger numbers and with a greater number of	Multiplication of a four-digit numbers by a one-digit numbers.	Division of numbers with up to four digits by a one-digit number.
	decimals places - up to 3 decimal places.  Continue to ensure that the use of 'O' as a placeholder is used to ensure pupils are confident with the exchanging and adding on process.	decimals places - up to 3 decimal places.  Continue to ensure that the use of 'O' as a placeholder is used to ensure pupils are confident with the exchanging process.	Refer to the Year 4 place value counters videos.  3721 x 7 = 26047  Multiplication of a one-digit number with up to three decimal places by a one-digit number.  Develop to up to 4 digits with up to 3 decimal places by a one-digit number.	Consolidate understanding of using the formal written method without remainders as outlined within Year 4.  (Numicon) (as used in Year 4)  976 ÷ 8 = 122  Three-digit number divided by one-digit number — with remainders  852 ÷ 7 = 121 r 5  Round up or down given the context of the problem.

	Multiplication of a four-digit number by a two-digit number.	Four-digit number divided by one-digit number — with remainders- interpreted as a decimal (to 3 decimal places)  6497 ÷ 8 = 812.125  Refer to the calculation policy for progression steps.
--	--	---

6	• Add multi-digit numbers with more than 4-digits (with up to 3 decimal places), using formal written methods (columnar addition)	• Subtract multi-digit numbers with more than 4 digits (with up to 3 decimal places), using formal written methods (columnar subtraction)	Multiply multi-digit numbers up to 4 digits     by a two-digit whole number using the     formal written method of long     multiplication	• Divide numbers up to 4 digits (with up to 3 decimal places) by a two-digit whole number using the formal written method of division, and interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context  - Short division  - Long division
	The same as Year 4 and 5 but with multidigit numbers with more than 4 digits (and with up to 3 decimal places).	The same as Year 4 and 5 but with multidigit numbers with more than 4 digits (and with up to 3 decimal places).	Multiplication of a four-digit number by a two-digit number.	Consolidate understanding of using the formal written method for dividing three-digit number with up to 3 decimal places by one-digit number as outlined in Year 5.  Division of numbers with up to four-digits and three decimal places, by a two-digit whole number.  4138 ÷ 17 = 243 r 7  Long Division